

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

Migration inhibition assay




FIG. 9

Detachment of Lung Carcinoma Cells (A549) by *B. fragilis* /PrpP Treatment




FIG. 10




FIG. 11c FIG. 11d




FIG. 11a FIG. 11b

Experimental Conditions	Cells Attached
Control + cysteine	☆ ☆ ☆ ☆ ☆
0.2mg/ml P.g. lysate + cysteine	☆ ☆ ☆
0.4mg/ml P.g. lysate + cysteine	None attached
0.4mg/ml P.g. lysate/heated + cysteine	☆ ☆ ☆ ☆ ☆
0.4mg/ml P.g. lysate + TLCK + cysteine	☆ ☆ ☆ ☆ ☆
0.4mg/ml P.g. lysate + PMSF + cysteine	☆
0.4mg/ml P.g. lysate + PIC + cysteine	☆
<i>P.gingivalis</i> + cysteine	None attached
<i>P.gingivalis</i> + TLCK + cysteine	☆ ☆
<i>E.coli</i> lysate + cysteine	☆ ☆ ☆ ☆ ☆

FIG. 12

FIG. 13a




FIG. 13a



FIG. 13b




FIG. 13c




FIG. 13d

RECEIVED SEP 16 1966




FIG. 13e

TECHNICAL REPORT




FIG. 14b

FIG. 14c




FIG. 14c




FIG.14d

FIG. 15a




FIG. 15a

FIG. 15b




FIG. 15b

TEOSO" STEH60




FIG. 15c